In re Patent Application of:

FRISCO ET AL.

Serial No. 10/716,987

Filed: November 19, 2003

Confirmation No. 7576

In the Claims:

1. (Currently Amended) An aircraft in-flight
entertainment system comprising;

a satellite television (TV) receiver;

at least one passenger video display connected to said satellite TV receiver; and

a processor connected to said satellite TV receiver for determining a component malfunction condition and for generating responsive thereto a substitute image on said at least one passenger video display rather than permit display of an undesired image which would otherwise be produced, the component malfunction being independent of a strength of a signal received at said satellite TV receiver.

2. (original) An aircraft in-flight entertainment system according to Claim 1 wherein said satellite TV receiver comprises a direct broadcast satellite (DBS) receiver.

Claims 3 and 4 (Cancelled).

- 5. (original) An aircraft in-flight entertainment system according to Claim 1 wherein the undesired image is a degraded program image.
- 6. (original) An aircraft in-flight entertainment system according to Claim 1 wherein the undesired image is default text message image.

In re Patent Application of:

FRISCO ET AL.

Serial No. 10/716,987

Filed: November 19, 2003

Confirmation No. 7576

7. (original) An aircraft in-flight entertainment system according to Claim 1 further comprising a storage device connected to said processor for storing the substitute image.

- 8. (original) An aircraft in-flight entertainment system according to Claim 1 wherein said satellite TV receiver generates a plurality of individual video channels; and wherein said processor determines the undesired condition for each of the individual video channels.
- 9. (original) An aircraft in-flight entertainment system according to Claim 1 wherein said satellite TV receiver generates a plurality of video channels; and wherein said processor determines the undesired condition for the plurality of video channels.
- 10. (original) An aircraft in-flight entertainment system according to Claim 1 wherein said at least one passenger video display comprises a plurality of passenger seatback video displays.
- 11. (original) An aircraft in-flight entertainment system according to Claim 1 wherein said at least one passenger video display comprises a plurality of passenger video displays, and further comprising:

a plurality of signal distribution devices; and

In re Patent Application of:

FRISCO ET AL.

Serial No. 10/716,987

Filed: November 19, 2003

Confirmation No. 7576

a cable network connecting said satellite TV receiver to said signal distribution devices, and connecting said signal distribution devices to said passenger video displays.

- 12. (original) An aircraft in-flight entertainment system according to Claim 1 wherein the aircraft is a narrow-body aircraft having a single passenger aisle.
- 13. (Currently Amended) An aircraft in-flight entertainment system comprising:
 - a satellite television (TV) receiver;
- a plurality of passenger video displays connected to said satellite TV receiver; and
- a processor connected to said satellite TV receiver for determining a weak received signal strength condition and a component malfunction condition for generating responsive thereto a substitute image on said passenger video displays prior to display of an undesired image which would otherwise be produced, the component malfunction being independent of a strength of a signal received at said satellite TV receiver.
- 14. (original) An aircraft in-flight entertainment system according to Claim 13 wherein said satellite TV receiver comprises a direct broadcast satellite (DBS) receiver.

In re Patent Application of: FRISCO ET AL.

ERIOCO MI AM.

Serial No. 10/716,987

Filed: November 19, 2003

Confirmation No. 7576

15. (original) An aircraft in-flight entertainment system according to Claim 13 wherein the undesired image is a degraded program image.

- 16. (original) An aircraft in-flight entertainment system according to Claim 13 wherein the undesired image is default text image.
- 17. (original) An aircraft in-flight entertainment system according to Claim 13 further comprising a storage device connected to said processor for storing the substitute image.
- 18. (original) An aircraft in-flight entertainment system according to Claim 13 wherein said satellite TV receiver generates a plurality of individual video channels; and wherein said processor determines the undesired condition for each of the individual video channels.
- 19. (original) An aircraft in-flight entertainment system according to Claim 13 wherein said satellite TV receiver generates a plurality of video channels; and wherein said processor determines the undesired condition for the plurality of video channels.
- 20. (original) An aircraft in-flight entertainment system according to Claim 13 further comprising:
 - a plurality of signal distribution devices; and

In re Patent Application of: FRISCO ET AL.

Serial No. 10/716,987

Filed: November 19, 2003

Confirmation No. 7576

a cable network connecting said satellite TV receiver to said signal distribution devices, and connecting said signal distribution devices to said passenger video displays.

- 21. (original) An aircraft in-flight entertainment system according to Claim 13 wherein the aircraft is a narrow-body aircraft having a single passenger aisle.
- 22. (Currently Amended) A method for operating an aircraft in-flight entertainment system comprising a satellite television (TV) receiver, and at least one passenger video display connected to the satellite television receiver, the method comprising:

operating a processor connected to the satellite TV

receiver for determining a weak received signal strength

condition and a component malfunction condition, the component

malfunction being independent of a strength of a signal received

at the satellite TV receiver; and

generating a substitute image on the at least one passenger video display rather than permit display of an undesired image which would otherwise be produced.

23. (original) A method according to Claim 22 wherein the satellite TV receiver comprises a direct broadcast satellite (DBS) receiver.

Claims 24 and 25 (Cancelled).

In re Patent Application of: FRISCO ET AL.

Serial No. 10/716,987

Filed: November 19, 2003

Confirmation No. 7576

26. (original) A method according to Claim 22 wherein the undesired image is a degraded program image.

- 27. (original) A method according to Claim 22 wherein the undesired image is default text message image.
- 28. (original) A method according to Claim 22 further comprising storing the substitute image.
- 29. (original) A method according to Claim 22 wherein the satellite TV receiver generates a plurality of individual video channels; and wherein determining comprises determining the undesired condition for each of the individual video channels.
- 30. (original) A method according to Claim 22 wherein the satellite TV receiver generates a plurality of video channels; and wherein determining comprises determining the undesired condition for the plurality of video channels.
- 31. (original) A method according to Claim 22 wherein the aircraft is a narrow-body aircraft having a single passenger aisle.